

1981 Annual Index

Abbreviations: (TA) - Technical Article, (CC) - Calculator Corner, (N) - News, (CF) - Cover Feature, (PF) - Product Feature, (SR) - Staff Report

Acoustic-Wave Devices

- SAW Device Frequency Trimming, (N), Sept., p. 49.
- SAW Oscillator Operates At 840 MHz, (N), Aug., p. 89.
- SAW Oscillators Upgrade Navigation Receivers, (TA), June, p. 66.
- The Marriage Of SAW And Digital Technologies, (N), July, p. 37.

Amplifiers

- Cooled GaAs FET Amplifiers Rival Paramps, (N), Jan., p. 51.
- Design FET Amps With Transformer Feedback, (TA), Oct., p. 95.
- Feedback Design For Transistor Amps, (N), Dec., p. 38.
- FET Traveling-Wave Amplifiers, (N), Oct., p. 37.
- How Limiting Amps Affect DIFM Receiver Performance, (TA), Apr., p. 87.
- Leveling Loop Senses Current And Sets Gain, (TA), Oct., p. 90.
- Low-Cost "Unit" Amplifier Gives 400 mW From 1 To 500 MHz, (PF), July, p. 98.
- Measurement Techniques For Power GaAs FET Amps, (TA), July, p. 75.
- 100-GHz Amplifier Uses Josephson Junction, (N), Feb., p. 33.
- 70-dB Log Amps Occupy 0.21 In.², Feature ± 0.3 -dB Linearity, (PF), Sept., p. 107.

Antennas and Phased Arrays

- Antenna Investigators Explore New Techniques, (N), Jan., p. 39.
- Cavity-Backed Spiral Has Microstrip Feed, (TA), Oct., p. 88.
- Design A Low-Ripple Phase-Shifter Array, (TA), Oct., p. 103.
- ERA Expands Antenna Test Facility, (N), Nov., p. 25.
- Long-Patch Array Produces Pencil Beam, (TA), May, p. 130.
- Low-Loss Arrays For The Higher MM Bands, (N), June, p. 47.
- Moon Measures Antenna Efficiency, (N), Apr., p. 28.
- Progress In Corrugated Feeds, Polarizers, And Horns, (N), May, p. 83.
- Remote-Sensing Experiments Feature First Digitally Processed Radar Images, (N), Dec., p. 35.
- RSI To Sell Torus Antennas, (N), May, p. 87.
- Single Antenna Receives Multiple Signals, (N), Sept., p. 26.
- Single-Input Antenna Yields Circular Polarization, (N), July, p. 20.
- Ten-Port Reflectometer Has Wide Dynamic Range, (N), Aug., p. 85.
- Wideband Microstrip Antenna, (N), Nov., p. 31.

CATV

- Hybrid Modules Extended To 500 MHz For Increased CATV Channel Capacity, (PF), July, p. 98.
- Reliability Aspects Of CATV Hybrid Circuits, (TA), Nov., p. 47.

Commercial Applications

- Consumer Market Growth: Slow, But Steady, (N), June, p. 33.
- High-Definition TV Proposed For 12 GHz, (N), Apr., p. 35.
- How To Buy UHF TV Equipment, (N), May, p. 90.

Communications

- Army's Portable Satcom Terminals Tie Field Units To Global Net, (N), Oct., p. 27.
- ARFTG Keeps You Up-To-Date, (N), Jan., p. 18.
- CBS Will Broadcast Using Fiber Optics, (N), Nov., p. 20.
- Communications Link Thrives In Oxygen-Absorption Band, (N), Mar., p. 38.
- EIA Urges "Hard Line" On Nippon Telephone, (N), Jan., p. 36.
- FCC Advisory Panel To Prepare DBS Position, (N), Apr., p. 36.
- FCC Sets Its Sights On 40.5-to-400-GHz Plan, (N), Nov., p. 27.
- FCC Wants Blueprint For Pacific Communications, (N), July, p. 34.
- FCC Weighs Options For North Atlantic Communications, (N), Jan., p. 35.
- Ferranti To Supply First 300-Channel Offshore Link, (N), Dec., p. 35.
- Footnotes to WARC/79 Documents Challenge Military Designers, (CF), Mar., p. 23.
- Fowler Is Likely FCC Chairman, (N), Mar., p. 41.
- "Free Marketplace" Is New FCC Byword, (N), Nov., p. 27.
- Future WARC's Will Feature Growing Debate, (N), Apr., p. 19.
- GEC Telecoms Doubles Capacity Of Bolivian Microwave Link, (N), June, p. 40.
- GOP Takes Over Communications Reins, (N), Jan., p. 35.
- Happy Birthday To "Searchlight" Radio, (N), June, p. 40.
- Inexpensive K-Band Links Replace Cable For Local-Loop Communications, (N), July, p. 21.
- Is Chaos Brewing In The ITU Clearinghouse? (CF), Mar., p. 23.
- Make Landsats Private, Urges COMSAT Chairman, (N), Sept., p. 29.
- MCI Signs Pacts With Local Phone Companies, (N), Oct., p. 31.
- NTIA Seeks Repeal Of "Voice/Record" Barriers, (N), Oct., p. 34.
- NTIA To FCC: Give MDS More Channels, (N), Jan., p. 35.

- New Family Of Jam-Proof Radios, (N), Aug., p. 19.
- New Life For Dead Spots, (N), June, p. 50.
- Spread-Spectrum Radios Thwart Hostile Jammers, (TA), Sept., p. 85.
- Third Notice Issued For 1982 Mobile WARC, (N), June, p. 44.
- Through WARC And RARC, The Work Of The ITU Continues, (CF), Mar., p. 25.
- US, Japan Agree On NTT Procurement, (N), Feb., p. 28.
- US WARC Delegate Cautions: Don't Skip The Fine Print, (N), Apr., p. 17.

Components

- Attenuator/Limiter Blankets 4+ Octaves, (TA), Oct., p. 100.
- CCDs Feature Submicron Gaps, (N), June, p. 47.
- Discrete Components Vie With Hybrids, (TA), Oct., p. 55.
- Four-Port WG Components Simplify In Situ Measurements, (N), Apr., p. 33.
- Image Guide: A Promising Medium For EHF Circuits, (TA), Apr., p. 71.
- Material, Manufacturing Advances Herald New Solid-State Devices, (N), Oct., p. 15.
- Novel Microstrip Directional Coupler, (N), Sept., p. 47.
- \$1.95 Attenuator Features Hermetic Package, Flat Performance From DC To 1.5 GHz, (PF), May, p. 150.
- Power Divider/Combiners: Small Size, Big Specs, (TA), Nov., p. 67.
- Solid-State Switch Has Ferrite-Like Power Capability, (PF), Sept., p. 104.
- Solid-State TR Switch Toggles 250 W CW, (N), Oct., p. 29.
- Spread-Spectrum Devices Cater To New Systems, (TA), Feb., p. 65.
- Symmetrical Coupler Reduces Phase Error, (TA), Apr., p. 82.
- Tiny Tuners Optimize Low-Noise Amplifiers, (TA), Oct., p. 97.
- TNC Connectors Meet New Performance Criteria, (TA), Feb., p. 77.
- VSWR, Power Dissipation Keys To Film Resistors, (TA), Dec., p. 69.


Design

- Analysis Of MIS Lines, (N), Sept., p. 49.
- A Simplified Solution For Tapered Transformer Lines, (TA), Oct., p. 82.
- Build Additive Circuits On Plastic Substrates, (TA), Oct. p. 63.
- Computer + Plotter = Direct-To-Art Design, (TA), Mar., p. 91.
- Control VSWR Bandwidth In T-Section Networks, (TA), July, p. 87.
- Evaluate Design Accuracy Of Cascaded Lines, (CC), Feb., p. 81.
- Evaluate The Distortion Of Modular Cascades, (TA), Mar., p. 67.

(continued on next page)

TRANSMISSIONS

NEW DIGITAL
TUNABLE
RF FILTERS



Do you need to: Eliminate cross talk in installations with antennas in close proximity?; Isolate and identify signals coming in to wideband receiver systems?; Preselect frequencies in automatic test equipment? Is a tunable filter the last remaining piece of manual equipment in your digital system?

Telonic's new digitally addressable tunable rf filters can solve these problems. They're offered in 22 standard models (3 or 5 sections) covering 11 frequency bands between 48 MHz and 4 GHz. Each capacitively loaded Chebyshev filter model tunes over a 2:1 frequency range for full octave coverage.

A wide choice of standard computer interfaces is available: RS-232, TTL serial, and IEEE STD-488 (GPIB) parallel. In addition, a self-contained BCD controller is available.

Send for new technical data sheet to TELONIC BERKELEY INC., 2825 Laguna Canyon Road, Laguna Beach, CA 92652, 714/494-9401, (Toll Free 800/854-2436).

*The Biggest Little
High-Technology Company
in Laguna Beach.*



READER SERVICE NUMBER 88

1981 Annual Index (continued from p. 107)

Exterior Calculus Aids EM Analysis, (N), July, p. 37.

Grab A Handful Of Free Microwave Filter Analyses, (TA), June, p. 111.

Improving SMA Tests With APC3.5 Hardware, (TA), Sept., p. 71.

Increase Your Design Choices With An Equalizer Compendium, (TA), Nov., p. 61.

Ladder Network Analysis: Poor Man's CAD, (CC), Jan., p. 62.

Low-Cost Circuit Simulates Josephson Junctions, (PF), Jan., p. 96.

Matching: When Are Two Lines Better Than One? (TA), Mar., p. 83.

Multiplying DAC Stabilizes PLL Parameters, (TA), Mar., p. 71.

PCB Techniques Cut EHF Component Costs, (N), Jan., p. 39.

Rain Attenuation Model, (N), Sept., p. 47.

Squaring Off With Dielectric Resonators, (CC), Aug., p. 111.

The Case For A Linear Detector, (TA), Oct., p. 75.

Time-Domain Analysis Stops Design Guesswork, (TA), Sept., p. 79.

Two Calculator Programs Expedite Front-End Design, (CC), Nov., p. 81.

Universal Patterns Ease Circular Horn Design, (TA), Mar., p. 83.

Use Simple Equations To Calculate Beam Width, (TA), Dec., p. 61.

Diodes

All-Ion-Implanted TEDs Noted In Study, (N), June, p. 47.

Baritt Diodes Advance To MM Waves, (TA), Apr., p. 61.

Diode Capacitance Ups Conversion Loss, (N), June, p. 50.

Large-Area Varactors Tune UHF Filter, (N), Jan., p. 51.

MM-Wave Gunns Grown By MBE, (N), Jan., p. 51.

Si Impacts For V-Band Frequencies, (N), Nov., p. 25.

Thermal Degradation Of Ti-GaAs Diodes, (N), Mar., p. 45.

Tunnel Diodes Excel As DC-Coupled Detectors, (TA), June, p. 59.

Economic Outlook

Average EE Salary Exceeds \$36,800, (N), July, p. 22.

Billion-Dollar Market Opens Up, (N), Apr., p. 27.

Cellular Market Sales Start To Multiply, (N), June, p. 19.

Climate For Innovation May Brighten Under Reagan, (N), Feb., p. 27.

'81 Earth Station Market Pegged At \$80 Million, (N), Aug., p. 15.

Healthy Industry Is Key Wirth Priority, (N), Mar., p. 41.

House testimony bemoans engineering shortage, but not everyone is convinced, (N), Dec., p. 15.

New Science Advisor Sees Bright Space Future, (N), Aug., p. 82.

Military Communications Market Predicted To Reach \$29 Billion, (N), Aug., p. 18.

Racial Expansion In Scotland Follows Record Group Profits, (N), Apr., p. 33.

SBS partners agree to all-equity financing, (N), Dec., p. 16.

Semiconductor Firms Want US Help, (N), July, p. 33.

Soviet Union/China Seen As Growth Markets, (N), July, p. 25.

Specialized School May Ease Technician Shortage In Bay Area, (N), Jan., p. 31.

US company prepares market entry on Japan's own turf, (N), Dec., p. 18.

US Industry Is Slow To Adopt CAD/CAM Technology, (N), Nov., p. 18.

Electronic Warfare

DOD Argues For Laser Weapons, (N), Apr., p. 36.

Easy-To-Access Chamber Speeds Missile Testing, (N), Sept., p. 26.

Funding Boost Slated For Space Weapons, (N), May, p. 79.

Missile Testing System Uses Household Goods, (N), Apr., p. 22.

Naval Electronics Market Swells In Europe, (N), May, p. 87.

Was A Killer Satellite Launched By Soviets? (N), Mar., p. 41.

Filters

Filters And Codes Bolster Digital Designs, (TA), Mar., p. 59.

Frequency Control Specialists Say SAWs Are Ready For Launch, (N), June, p. 15.

Graphic Method Guides Diode-Tuned Filter Design, (TA), May, p. 132.

Two Filters In One, (N), Dec., p. 37.

Government Regulation

Budget Cuts Strike Pentagon, NASA, (N), Dec., p. 31.

Collision-Avoidance Plan Selected By FAA's Helms, (N), Aug., p. 82.

Congress Asked To Block FCC's Interim DBS Plan, (N), Oct., p. 34.

Congress Studies Nippon Agreement, (N), Aug., p. 61.

Congress Will Approve Multiyear Contracts, (N), Sept., p. 32.

Court Upholds Repeal Of Signal Carriage Rules, (N), Aug., p. 81.

DOD Wins, NASA Loses In 1982 Reagan Budget, (N), Apr., p. 35.

DOE Studies 10 mW/cm² Standard, (N), Jan., p. 32.

DTS Service At 18 GHz Proposed By FCC, (N), Sept., p. 31.

Eight DBS Bids Approved By FCC, (N), Dec., p. 32.

Graphnet May Compete With WU, DC Appeals Court Rules, (N), Nov., p. 28.

FAA Continues ACAS-BCAS debate, (N), May, p. 79.

FAA Mulls Strategies For Installing MLS, (N), Jan., p. 36.

FCC Answers The Call For Mobile Phones, And Divides Cellular Communications Band, (N), June, p. 19.

FCC Approves First Fiber-Optic Link, (N), Jan., p. 36.

FCC To Boost Channels On Microwave Links, (N), Dec., p. 31.

FCC Will Probe Bell Purchases, (N), Oct., p. 31.

Foes Press For Drop Of AT&T Case, (N), Sept., p. 31.

House Bill Targets R&D Tax Troubles, (N), May, p. 80.

House Panel Okays Telegraph Measure, (N), Dec., p. 31.

House Panel Ponders Cable Copyright Bill, (N), May, p. 80.

Innovation Bills Gain In House, Senate, (N), Oct., p. 34.

Is Communications Bill Stalled At The Gate? (N), Feb., p. 27.

More Deregulation Slated For Competitive Carriers, (N), Feb., p. 27.

NASA Cuts Back 30/20-GHz plan, (N), Feb., p. 28.

NBS, NASA Agree On Antenna Measurements, (N), May, p. 87.

New Procurement Policy Eyed By White House, (N), Dec., p. 32.

New Rules Govern Police Radar, (N), June, p. 34.

Patent Bill Receives Joint House-Senate Hearing, (N), Nov., p. 28.

Patent Office Woes Worry House Panel, (N), Apr., p. 36.

Pentagon Streamlines Acquisition Process, (N), June, p. 44.

Policies Clarified For Low-Power Microwave Systems, (N), Nov., p. 28.

Reagan Moves To Fill Three FCC Vacancies, (N), May, p. 80.

Senate Okays AT&T Bill; House Battle Is Next, (N), Nov., p. 28.

Senate Panel Eyes AT&T Legislation, (N), July, p. 33.

Senate Privacy Measure Receives Justice Support, (N), Aug., p. 19.

Small Business Encouraged By DOD, (N), July, p. 22.

Tax Bill Gives Credit For More R&D Work, (N), Sept., p. 32.

Trans-Atlantic Policy Is Approved By FCC, (N), Apr., p. 36.

US Will Help Firms Seek NTT Contracts, (N), May, p. 79.

Wirth Panel Gears Up For Common Carrier Bill, (N), Dec., p. 32.

Wrinkles Appear In New Tax Law, (N), Oct., p. 31.

Instrumentation and Measurement

A Microprocessor Mediates The Noise-Figure Debate, (CF), Dec., p. 51.

ARFTG, MTT Reach Accord, And Announce Affiliation, (N), Dec., p. 15.

Automatic Frequency Counters Incorporate Phase-Lock Feature, (PF), Sept., p. 104.

Calibrate Power Meters With NBS Traceability, (PF), Jan., p. 94.

Compressive IF Receivers Perform Real-Time Signal Analysis, (PF), Jan., p. 92.

DC Characteristics Aid Dual-Gate FET Analysis, (TA), July, p. 71.

Dipole-Based EM Probe Grabs Complex Fields, (TA), Jan., p. 63.

Four Laboratory Tests Evaluate MW Synthesizers, (TA), Jan., p. 71.

Frequency Standard Uses Ionic Mercury, (N), Apr., p. 39.

Hardware/Software Refinements Enhance Network Analysis, (N), Jan., p. 15.

How To Test Leaky Coaxial Cables, (N), Jan., p. 51.

IEC Announces Measurement Methods, (N), July, p. 25.

Interpret Test Data With Recursive Methods, (TA), Oct., p. 107.

K-Band Analyzers Materialize On The FET Measurement Scene, (TA), Sept., p. 61.

K Factor Simplifies Chopped Noise Readings, (TA), Apr., p. 59.

Lightweight RF Spectrum Analyzers Are Packed With Standard Features, (PF), Sept., p. 103.

Microprocessor-Based Meter Gives True RF Measurements, (PF), July, p. 99.

NBS Monitor Measures EM Fields, (N), Sept., p. 29.

Network-Analyzer Calibration, (N), Dec., p. 38.

New VCO Test Equipment Aids Manufacturing, (TA), Jan., p. 57.

Predict C/I Performance With Simple Measurements, (TA), Aug., p. 107.

Programmable Sweeper Gains Three Ul-trawideband RF Plug-in Modules, (PF), Sept., p. 107.

Radiometer For Microwave Thermography, (N), Nov., p. 31.

Revised Measurement Techniques Show TE Oscillator Harmonics, (N), Dec., p. 35.

Scalar ANA Is Easy To Use, Hard To Beat For Accuracy, (PF), Jan., p. 91.

\$60,000 ANA Measures Magnitude And Phase, Has Vector Error Correction, (PF), Sept., p. 108.

Swept Measurement System Stands Alone, (CF), Nov., p. 95.

Tracking Generators Boost Spectrum Analyzer Utility, (TA), Jan., p. 77.

Two Papers On FET Noise, (N), Oct., p. 38.

Value-Packed Spectrum Analyzer Offers Bus Interface, Digital Display, (PF), Apr., p. 95.

Lasers and Integrated Optics

A Change To Optics "Pays Off" For One Engineer, (SR), Aug., p. 98.

Ampex Develops New Optical Processing System, (N), Dec., p. 17.

An Optics Prospectus: Users And Applications Abound, (SR), Aug., p. 96.


Another Tool, Or The Competition In Disguise? (SR), Aug., p. 98.

Dispersionless Fiber Optics, (N), Sept., p. 49.

(continued on next page)

directional couplers

19.5 dB



.2 to 250 MHz

only \$13⁹⁵ (5-49)

AVAILABLE IN STOCK FOR IMMEDIATE DELIVERY

- miniature 0.4 x 0.8 x 0.4 in.
- **MIL-C-15370/18-001 performance***
- NSN 5985-01-076-8477
- low insertion loss 0.35 dB
- hi directivity 25 dB
- flat coupling, ± 0.5 dB

*Units are not QPL listed

PDC 20-3 SPECIFICATIONS

FREQUENCY (MHz)	0.2-250		
COUPLING, db	19.5		
INSERTION LOSS, db		TYP.	MAX.
one octave band edge		0.35	0.5
total range		0.35	0.6
DIRECTIVITY, db		TYP.	MIN.
low range		36	30
mid range		32	25
upper range		25	20
IMPEDANCE			50 ohms

For complete specifications and performance curves refer to the 1980-1981 Microwaves Product Data Directory, the Goldbook or EEM.

For Mini-Circuits sales and distributor listing see p.106.

finding new ways...
setting higher standards

Mini-Circuits

A Division of Scientific Components Corporation
World's largest manufacturer of Double Balanced Mixers
2625 E. 14th St. B'klyn, N.Y. 11235 (212) 769-0200

80-3 REV. A

1981 Annual Index *(continued from p. 109)*

Fiber Capacity Increased Through Multiplexing, (N), June, p. 40.

Fiber-Optic Downlink Achieves 120 Mbit/s, (N), May, p. 87.

Laser Weapons Gain Higher Priority, (N), July, p. 33.

MESFETs For Optical Communication Systems, (N), Oct., p. 37.

Mode-Locking Of Semiconductor Lasers, (N), Nov., p. 31.

More Spending Urged For Laser Weapons, (N), Feb., p. 28.

Optically Coupled Microwave Switches, (N), Dec., p. 37.

Optics: A Technology At Hand, (SR), Aug., p. 95.

Science Chief Is Cautious On Use Of Laser Weapons, (N), Sept., p. 32.

Student Builds Beer Laser, (N), Aug., p. 16.

The Real Revolution Waits For Optical ICs, (SR), Aug., p. 100.

Materials

Above 3 GHz, Nothing Can Match Monolithic GaAs Performance, (N), Dec., p. 23.

Bell Labs Previews X-Ray Lithography, (N), July, p. 22.

$\text{Li}_2\text{B}_4\text{O}_7$ Looks Promising As SAW Substrate, (N), Mar., p. 37.

Material Advances Improve MM-Wave Diodes, (N), Jan., p. 40.

Maturing GaAs Materials Provide Digital ICs, (TA), Oct., p. 59.

Microwave Oven Foams, Cures Plastics, (N), June, p. 31.

New GaAs FET Applications Weighed As Material Processing Matures, (N), Feb., p. 24.

Photoresist Curing Uses Microwave Heating, (N), Aug., p. 16.

Report From The Electronic Components Conference: Materials And Processing Advances Herald Low-Cost, Predictable Designs, (N), June, p. 22.

Si In GaAs Makes High-Quality FETs, (N), Feb., p. 33.

Videotapes Teach Ion Implantation, (N), July, p. 26.

MIC Design

Enhanced Electroplating Upgrades MIC Fabrication, (TA), Oct., p. 71.

Manufacturing Process Produces Multilayer MICs, (TA), Oct., p. 67.

MIC Six-Port Reflectometer Overcomes Coax Problems, (N), July, p. 30.

Monolithic Integrated GaAs Amplifier Challenges Wideband Hybrids, (PF), Aug., p. 117.

Strip Cuts Coupling On Crowded MMIC Chips, (TA), Oct., p. 79.

The "SuperFET": A Monolithic Device For High-Gain Amplifiers, (TA), July, p. 46.

Microwaves and Medicine

Biological TEM Cell Simplifies Measurements, (N), Aug., p. 17.

Eye Problems Studied For Low-Level RF, (N), June, p. 44.

Fred Sterzer: Finding New Hope For Cancer Victims, (N), July, p. 15.

Hyperthermia: Updating An Old Idea, (N), July, p. 16.

Microwave Communications Aid Health-Care Industry, (N), Nov., p. 16.

Microwave System For Early Cancer Detection, (N), June, p. 50.

Moscow Embassy Radiation Focus Of NTIA Report, (N), Aug., p. 82.

RCA's Aid Is Appreciated, (N), July, p. 18.

RCA Satcom Channels Speed Hospitals' ECG Diagnoses, (N), Dec., p. 17.

RF Probe Is Needle-Thin, (N), July, p. 37.

Millimeter Waves

K-Band MM Array Uses Dielectric Radiators, (N), Nov., p. 25.

Microprocessor Methods Sire MM-Wave Counter, (TA), Apr., p. 53.

MM-Wave Innovations Disclosed At London Colloquium, (N), July, p. 29.

Quantum Theory Clarifies MM Detector Action, (N), Mar., p. 45.

Miscellaneous

A Dime Saved Is A Nickel Earned, (N), June, p. 34.

Our thought.



Your afterthought.

**EMC's
3mm SMA attenuator
is a small solution
to a big problem.**

It's funny that one of our first thoughts is one of your last. We're speaking about attenuation for your MIC package. And since we do think of it first, you can be sure our attenuators are the very best.

Proof:

- EMC attenuators are the smallest available - just 3/4" long to accommodate your package without creating new design problems
- Our attenuators are low in cost - the lowest in the industry - with guaranteed performance to 18 GHz
- Stainless steel construction assures rugged service, gold plated beryllium-copper center conductors add reliability

- For highest flexibility, attenuators are available in 1 dB increments up to 20 dB - choose the precise model to match your needs
- All EMC attenuators are offered with full calibration (optional) and in flange mount configurations as well

Don't give a second thought to your next noise problem. Instead, quietly pick up the phone and call us or any EMC stocking distributor. We'll have an attenuator on its way to you the same day. After all, why should such a small solution stand in the way of such a large problem. Let us hear from you today.



EMC TECHNOLOGY, INC.
1971 OLD CUTHBERT ROAD
CHERRY HILL, NEW JERSEY 08034
Phone: (609) 429-7800 • TWX: 710-896-0193

Authorized distributors and technical sales representatives in all major metropolitan areas.

EMC TECHNOLOGY is a full line MIC product manufacturer. Our products include SMA connectors, terminations, attenuators, resistors and DC blocks for stripline, microstrip and SMA coax.

READER SERVICE NUMBER 90

Amsterdam Plans For Fall Conference, (N), June, p. 37.

Bonus Plan Cuts Delivery Time, (N), July, p. 26.

Faculty-Minded Ph.D.s Find No Place To Go, (N), June, p. 31.

Georgia Tech's EES To Manage Irish Institute, (N), July, p. 25.

Heavy Agenda Slated For Schmitt's Space Panel, (N), Mar., p. 42.

IEEE Publishes Service Contract Guide, (N), May, p. 90.

IEEE Uses Radio, Tool (N), Dec., p. 16.

IEEE Television Course To Broadcast Via Satellite, (N), Dec., p. 16.

IECQ System Will Promote International Electronics Trade, (N), Dec., p. 18.

International Meeting Assays Atmospheric Effects On RF Propagation, (N), Nov., p. 20.

Notes On Scottish Technology: Five Days In "Silicon Glen," (N), Sept., p. 17.

Pension Plan Urged For All Employers, (N), Apr., p. 35.

Rockwell Execs Resign To Form GaAs Logic Firm, (N), Aug., p. 18.

Specialized MW School Eyes Eastern Market, (N), Dec., p. 17.

Sweetening The Scottish Deal, (N), Sept., p. 18.

Mixers

Built-In Limiter Gives Mixer High-Power Protection, (PF), Dec., p. 97.

Harmonic Mixers Evaluate Spectrum Analysis To EHF, (TA), Apr., p. 67.

High-Intercept-Point Mixer Conquers Distortion, Stretches Dynamic Range, (CF), June, p. 119.

Improved EHF Mixers, (N), Sept., p. 49.

Mixer Combines Low Noise With Gain, (N), Apr., p. 39.

Sampling Mixer Solves RF Interface Problem, (N), Mar., p. 37.

Packaging

Can Powerful Transmitters Upset The Ionosphere? (N), June, p. 31.

Microstrip Packaging: Watch The Last Step, (TA), Dec., p. 83.

MA Reveals Process Details To Audience Of Competitors, (N), Nov., p. 13.

Standardized Package Would House Most MICs, (TA), Oct., p. 74.

Technology: A Sword For The Battle Ahead, (N), June, p. 33.

Radar

Adaptive Radar Sharpens NATO's Defense, (N), Sept., p. 19.

AF Over-The-Horizon Radar Tracks "Enemy" At 1100 Miles, (N), Oct., p. 23.

Anticollision Radar Boasts Advanced Features, (N), Sept., p. 35.

Balloon-Borne Radar Monitors Air And Sea Approaches, (N), Mar., p. 34.

Data Extraction Software For UK Civil Radar, (N), June, p. 37.

Dual-Polarization Radar Helps Gauge Rainfall Rate, (TA), Sept., p. 93.

Euro Radar Complex To Probe Earth's Space, (N), Oct., p. 29.

Hughes Radar Aids Eagle Fighters, (N), May, p. 90.

Millimeter-Wave Radar Passes Sea Trials, (N), Sept., p. 35.

New Radar Detection Scheme, (N), Nov., p. 33.

PLLs Upconvert Chirp Radar Signals, (TA), June, p. 81.

Plessey Updates Soviet Radar Systems, (N), Sept., p. 35.

Radar Equipment Ruled For Large US Vessels, (N), May, p. 79.

Radar Makes Mining Safer, More Productive, (N), Aug., p. 15.

Rainfall Mapping With Dual-Polarization Radar, (N), May, p. 83.

Software Improves Radar Resolution, (N), Oct., p. 16.

Top-Hat Reflectors Cap Radar Calibration, (TA), Dec., p. 65.

Transmitter Noise Versus Radar Clutter, (N), Aug., p. 89.

Unusual Radar Protects Helicopters, (N), Mar., p. 38.

R&D

NBS Offers \$30,000 For Studies Of Basic Constants, (N), Oct., p. 19.

New Stand Taken On Cooperative Research, (N), Jan., p. 35.

Researchers Improve GaAs Diffusion Process, (N), Mar., p. 37.

Satellite Communications

Broadcasters Oppose Comsat's DBS Plan, (N), Mar., p. 42.

Comsat Anticipates A Dish On Every Roof; Hatches US Broadcast Satellite Plans, (CF), Feb., p. 15.

Comsat's DBS Plan Approved By FCC, (N), June, p. 43.

Downconverter Can Meet DBS Demands, (N), Oct., p. 27.

FCC Urged To Make DBS Tech Standards, (N), July, p. 34.

HMS Herald Sails For Maritime Satcom Trials, (N), Nov., p. 18.

INTELSAT-INMARSAT Reach Agreement, (N), May, p. 80.

K-Band Satcom Tracking System, (N), Nov., p. 31.

NASA Gears Up For New Satellite, (N), July, p. 34.

NBS Service Reinstated, (N), Apr., p. 28.

NTIA Figures Footprints Of Geostationary Satellites, (N), July, p. 34.


New DBS Firms Jockey For Position, (N), June, p. 43.

New Demands Will Strain Satcom Capacity, (N), Nov., p. 15.

(concluded on next page)

double balanced mixers

standard level (+7 dBm LO)



1 to 1000 MHz

only \$43⁹⁵ (1-24)

AVAILABLE IN STOCK FOR IMMEDIATE DELIVERY

- Rugged 1 1/4 in. sq. case
- 3 Mounting Options-thru hole, threaded insert and flange.
- 4 Connector Choices BNC, TNC, SMA and Type N
- connector intermixing male BNC, and Type N available

ZFM-2 SPECIFICATIONS

FREQUENCY RANGE, (MHz)			
LO, RF	1-1000		
IF	DC-1000		
CONVERSION LOSS, dB			
One octave band edge	6.0	TYP.	MAX.
Total range	7.0		
ISOLATION, dB			
1-10 MHz	50	TYP.	MIN.
	45		
10-500 MHz	40		
	35		
500-1000 MHz	30		
	25		

For complete specifications and performance curves refer to the 1980-1981 Microwaves Product Data Directory, the Goldbook or EEM.

For Mini-Circuits sales and distributor listing see p.106.

finding new ways...
setting higher standards

Mini-Circuits

A Division of Scientific Components Corporation
World's largest manufacturer of Double Balanced Mixers
2625 E. 14th St. B'klyn, N.Y. 11235 (212) 769-0200

71-3 REV. ORIG

READER SERVICE NUMBER 91

OFF THE SHELF SOLUTIONS TO YOUR RFI PACKAGING PROBLEMS

- 100 Different Case Sizes.
- Available with or without Connectors.
- Custom Configurations to meet your requirements are off-the-shelf.
- Complete Line of Coaxial Accessories - terminations, adapters, attenuators.
- Complete Line of Accessories - gaskets, circuit boards, filters, feed thrus

Our catalog features the new Universal Connector Configurations




279 Skidmore Road
Deer Park, N.Y. 11729
Phone (516) 667-3933
TWX 510-227-1064

READER SERVICE NUMBER 92


Solve grounding/shielding problems quickly, economically!

The wide variety of Instrument Specialties beryllium copper contact strips and contact rings in many sizes and shapes can help you solve your shielding and grounding problems. Standard catalog items work for most applications, but special adaptations are easily made and provide you with virtually a custom-designed part with only a one-time extra charge.

Send for inexpensive trial kits!



34 strips, various configurations:
Assortment 97-272 \$30.00



36 different contact rings:
Assortment 97-273 \$25.00

FREE! Complete catalog of RFI-EMI shielding strips and rings. Write, or use Reader Service Card.



INSTRUMENT SPECIALTIES COMPANY, Dept. MW-99
Delaware Water Gap, PA. 18327
Telephone: (717) 424-8510

Specialists in beryllium copper springs since 1938

READER SERVICE NUMBER 99

1981 Annual Index (continued from p. 111)

More DBS Plans Filed At FCC, (N), Aug., p. 81.

Reduced Orbital Spacing Eyed By FCC For Domsats, (N), Nov., p. 27.

Satcom Begins To Scratch The Surface Of A Booming Business Market, (N), Mar., p. 29.

SBS "Looks Up" After Many Delays, (N), Oct., p. 27.

SBS Offers Transponder Leasing, (N), Aug., p. 19.

Study Finds SPS Too Costly, Recommends Funding Halt, (N), Aug., p. 15.

UK Computers Linked By Satellite, (N), July, p. 30.

UK's First Commercially Owned Earth Station, (N), Aug., p. 85.

Semiconductors

Analytical Advances Pave The Way For New Microwave Semiconductors, (N), Sept., p. 21.

Integrated Avionics Studies Target Future Technologies, (TA), Feb., p. 53.

It's Official. . . GaAs LSI Is Here! (N), Jan., p. 28.

Semiconductors Grow Strong Through MBE Processing, (TA), Aug., p. 101.

Sources

Current-Controlled Oscillator Improves PLLs, (N), Feb., p. 33.

Dielectric Resonators, (N), Nov., p. 33.

Gunn/FET Source Beats Bipolar Oscillators, (TA), May, p. 111.

Gyromonotron Outputs 147 kW At 35 GHz, (N), Mar., p. 45.

Gyrottron Review, (N), Dec., p. 38.

Improved Phase Locking Stabilizes EHF Sources, (TA), Nov., p. 77.

Improved Trapatt Source Maintains Frequency Coherence, (N), Aug., p. 85.

Improving The Spectral Purity In Microwave Oscillators, (N), June, p. 37.

New Gyrottron Oscillator To Aid Fusion Research, (N), Sept., p. 29.

Off-Tuned Gunn Oscillators Desensitize Radars, (N), Feb., p. 33.

Precise Pulse Generator Safely Drives Impatts, (PF), June, p. 120.

Proven Procedures Guide Cavity VCO Design, (TA), May, p. 123.

Say Hello To The DSO, (TA), May, p. 118.

Speedy Impatt Pulser Protects Against Failure, (TA), June, p. 107.

Systems and Subsystems

Airborne Radiometers May Spot Oil Slicks, (N), Oct., p. 29.

Block Downconversion Approach Beats Down TVRO Receiver Costs, (PF), Jan., p. 93.

FET Upconverter, (N), Oct., p. 38.

HP Reveals New E-Beam Lithography System, (N), Aug., p. 17.

Siemens' Radar Chirp System Is Given Nod By FCC, (N), Sept., p. 31.

TVRO Receiver System Uses Two Fibers, (N), July, p. 26.

Transistors

InP FETs, (N), Dec., p. 37.

Lowest Noise FET Reported, (N), Sept., p. 47.

Low Pinchoff-Voltage FET Logic, (N), Oct., p. 37.

Noise Model For GaAs FETs, (N), Aug., p. 89.

Polyimide-Overlay 8-GHz Power FET, (N), May, p. 84.

Production Bipolars Edge Out FETs At 4 GHz, (TA), Feb., p. 43.

Sub-Half-Micron GaAs FETs For Use Through K Band, (N), May, p. 90.

Tubes

35-GHz TWT Claimed Ready For Production, (N), Feb., p. 23.

